


Additionally, to assure the pending claims a full twenty-year term from the filing of the present application, the domestic priority claim for benefit of prior application No. 09/316,143 has been withdrawn (by deletion of the cross-reference to that application). Applicants reserve the right to reinstate the domestic priority claim at their discretion.

The Commissioner is hereby authorized to charge to Deposit Account No. 50-1165 any fees under 37 C.F.R. §§ 1.16 and 1.17 that may be required by this paper and to credit any overpayment to that Account. If any extension of time is required in connection with the filing of this paper and has not been requested separately, such extension is hereby requested.

Respectfully submitted,

MWS:lmb

Miles & Stockbridge P.C.
1751 Pinnacle Drive
Suite 500
McLean, Virginia 22102
(703) 903-9000

By: 
Mitchell W. Shapiro
Reg. No. 31,568

June 6, 2003



Marked-up Copy of Claims - 10/082,290

RECEIVED

JUN 10 2003

10 2003 JUN 10 2003

1 4. (Amended) [The apparatus of Claim 3, further
2 comprising:] Fiberoptic sensing apparatus, comprising:
3 a fiberoptic coupler in which a plurality of optical
4 fibers are joined through a fused coupling region, said
5 optical fibers including at least one input optical fiber
6 and a plurality of output optical fibers, said fiberoptic
7 coupler distributing light incident to said input optical
8 fiber among said plurality of output optical fibers;
9 a support member;
10 said coupler being mounted to said support member and
11 configured such that at least a portion of said coupling
12 region can be deflected to change the light distribution
13 among said output fibers with said coupling region being
14 under substantially no tension;
15 a fluid column cooperative with a deflection member
16 disposed to deflect said portion of said coupling region;
17 a transducer coupled to said fluid column, said
18 transducer converting pressure fluctuations from an
19 external source into pressure changes in said fluid column,
20 causing said deflection member to deflect said portion of
21 said coupling regions, said transducer being disposed at a

22 first end of said fluid column, and said deflection member
23 being disposed at a second end of said fluid column; and
24 a pressurizing device which sets an initial fluid
25 pressure of said fluid column.

1 7. (Amended) The apparatus of Claim [1] 4, wherein
2 said fluid column is a gaseous column.

1 8. (Amended) The apparatus of Claim [1] 4, wherein
2 at least part of said fluid column is contained in a hose.

1 10. (Amended) The apparatus of Claim [1] 4, further
2 comprising:

3 a device optically coupled to said output optical
4 fibers to detect the change of light distribution.

1 12. (Amended) An apparatus for monitoring acoustic
2 activity or motion of an object, comprising:

3 a support member having a surface configured to
4 support the object;

5 a transducer associated with said support member and
6 capable of transmitting pressure fluctuations due to
7 acoustic activity or motion of the supported object;

8 a fiberoptic sensor having a fused-fiber coupling
9 region supported such that at least a portion of said
10 coupling region can be deflected to change an output of
11 said sensor [without] with said coupling region being [put]
12 under substantially no tension; and
13 a fluid column coupled to said transducer and
14 cooperative with a deflection member to transmit pressure
15 fluctuations from said transducer to said deflection
16 member, said deflection member deflecting said portion of
17 said coupling region.

1 22. (Amended) The apparatus of Claim 21, further
2 comprising a display connected to an output of said device.